REPORT DOCUMENTATION PAGE

Form Approved OMB NO. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggesstions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any oenalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT	RETURN YOUR FO	RM TO THE ABOVE A	DDRESS.			
1. REPORT DATE (DD-MM-YYYY) 2		REPORT TYPE		3. DATES COVERED (From - To)		
27-10-2012			Final Report		20-Jul-2009 - 19-Jul-2012	
4. TITLE ANI	O SUBTITLE			5a. CON	TRACT NUMBER	
Final report				W911N	W911NF-09-1-0384	
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER 611102		
6. AUTHORS				5d. PROJECT NUMBER		
Sabre Kais						
				5e. TASK NUMBER		
				5f. WOR	K UNIT NUMBER	
Purdue Unive	ersity Program Services ersity	TION NAMES AN	D ADDRESSES	1	8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S) ARO	
U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211]	1. SPONSOR/MONITOR'S REPORT NUMBER(S) 55372-PH-QC.11	
12 DISTRIBI	ITION AVAILIRI	LITY STATEMEN			·	
		stribution Unlimited				
13. SUPPLEM The views, opi	MENTARY NOTE	S ngs contained in this			ot contrued as an official Department	
three-dimens dipole-dipole show that the	e entanglement sional arrays of e interaction and e entanglement	molecular dipole I subject to an el can be tuned and	currence in one-, two- are entangled by the ectrostatic field. We controlled by varying states of the molecular di		le-dipole coupling strength, the	
15. SUBJECT Physics: Finite		Quantum Criticality	of Quantum			
	Y CLASSIFICAT b. ABSTRACT	ION OF:	17. LIMITATION OF ABSTRACT	15. NUMBER OF PAGES	Sabre Kais	
UU	UU	υυ	UU		19b. TELEPHONE NUMBER 765-494-5965	

Final report

ABSTRACT

We study the entanglement measured by concurrence in one-, two- and three-dimensional arrays of molecular dipoles entangled by the dipole-dipole interaction and subject to an electrostatic field. We show that the entanglement can be tuned and controlled by varying the Stark energy splitting of the |0> and |1> states of the molecular dipoles, the dipole-dipole coupling strength, the temperature, and the orientation of the external electric field with respect to the array. We also developed the trace minimization algorithm for exact calculations of eigenvalues and eigenvectors of large lattices (in billions) and developed new quantum algorithms to solve complex chemistry problems such as global optimization and excited states of molecules.

Enter List of papers submitted or published that acknowledge ARO support from the start of the project to the date of this printing. List the papers, including journal references, in the following categories:

(a) Papers published in peer-reviewed journals (N/A for none)

Received	<u>Paper</u>
08/31/2011	00 Mikhail Lemeshko, Mustafa Mustafa, Sabre Kais, Bretislav Friedrich. Supersymmetry identifies molecular Stark states whose eigenproperties can be obtained analytically, New Journal of Physics, (06 2011): 1. doi: 10.1088/1367-2630/13/6/063036
08/31/2011	00 Gehad Sadiek, Sabre Kais, Qing Xu. Dynamics of entanglement in a two-dimensional spin system, Physical Review A, (6 2011): 1. doi: 10.1103/PhysRevA.83.062312
08/31/2011	00 Mikhail Lemeshko, Mustafa Mustafa, Sabre Kais, Bretislav Friedrich. Supersymmetric factorization yields exact solutions to the molecular Stark-effect problem for stretched states, Physical Review A, (4 2011): 43415. doi: 10.1103/PhysRevA.83.043415
08/31/2011	Ou Qi Wei, Sabre Kais, Bretislav Friedrich, Dudley Herschbach. Entanglement of polar molecules in pendular states, The Journal of Chemical Physics, (3 2011): 124107. doi: 10.1063/1.3567486
08/31/2011	OO Sabre Kais, Yong P. Chen, Qi Wei. Communications: Entanglement switch for dipole arrays, The Journal of Chemical Physics, (3 2010): 121104. doi: 10.1063/1.3366522
08/31/2011	Our Qing Xu, Sabre Kais, Maxim Naumov, Ahmed Sameh. Exact calculation of entanglement in a 19-site two-dimensional spin system, Physical Review A, (02 2010): 22324. doi: 10.1103/PhysRevA.81.022324
08/31/2011	00 Sabre Kais, Anmer Daskin. Group leaders optimization algorithm, Molecular Physics, (03 2011): 761. doi: 10.1080/00268976.2011.552444
TOTAL:	7

Number of Papers published in peer-reviewed journals:			
(b) Papers published in non-peer-reviewed journals (N/A for none)			
Received Paper			
TOTAL:			
Number of Papers published in non peer-reviewed journals:			
(c) Presentations			
Number of Presentations: 0.00			
Non Peer-Reviewed Conference Proceeding publications (other than abstracts):			
Received Paper			
TOTAL:			
Number of Non Peer-Reviewed Conference Proceeding publications (other than abstracts):			
Peer-Reviewed Conference Proceeding publications (other than abstracts):			
Received Paper			
TOTAL:			
Number of Peer-Reviewed Conference Proceeding publications (other than abstracts):			
(d) Manuscripts			

TOTAL:							
Number of Manuscripts:							
Books							
Received Paper							
TOTAL:							
Patents Submitted							
Patents Awarded							
Awards							
2012 Sigma Xi Research Award							
2010-Present: Professor of Physics (Courtesy Appointment) Purdue							
2010 Editorial Board of Papers in Physics							
2008 Editorial Board of Molecular Physics							
The paper "Simulated Quantum Computation of Global Minima Jing Zhu, Zhen Huang and Sabre Kais							
Molecular Physics, 107, 2015 (2009)" best paper and the cover page							
of Mol. phys.							
Graduate Students							
NAME PERCENT SUPPORTED Discipline							
Jing Zhu 0.50							
Sha-Hao Yeh 0.50 Ross Hoehn 0.10							

3

FTE Equivalent: Total Number: 1.10

NAME	PERCENT SUPPORTED				
Qing Xu	0.10				
FTE Equivalent: Total Number:	0.10				
Total Number.	<u>'</u>				
Names of Faculty Supported					
<u>NAME</u>	PERCENT_SUPPORTED				
FTE Equivalent: Total Number:					
	Names of Under Graduate students supported				
<u>NAME</u>	PERCENT SUPPORTED				
FTE Equivalent: Total Number:					
	Student Metrics				
This section only applie	s to graduating undergraduates supported by this agreement in this reporting period				
The	number of undergraduates funded by this agreement who graduated during this period: 3.00				
The number of undergraduates funded by this agreement who graduated during this period with a degree in science, mathematics, engineering, or technology fields: 0.00					
The number of undergraduates funded by your agreement who graduated during this period and will continue to pursue a graduate or Ph.D. degree in science, mathematics, engineering, or technology fields: 3.00					
Numbe	er of graduating undergraduates who achieved a 3.5 GPA to 4.0 (4.0 max scale): 3.00				
Number of grad	duating undergraduates funded by a DoD funded Center of Excellence grant for Education, Research and Engineering: 0.00				
The number of und	dergraduates funded by your agreement who graduated during this period and intend to work for the Department of Defense 1.00				
	graduates funded by your agreement who graduated during this period and will receive				
scholarships or fe	ellowships for further studies in science, mathematics, engineering or technology fields: 0.00				
	Names of Personnel receiving masters degrees				
<u>NAME</u>					
Total Number:					
	Names of personnel receiving PHDs				
NAME Ling Zhu					
Jing Zhu Total Number:	1				
Names of other research staff					
NAME	PERCENT_SUPPORTED				
FTF Fauivalent					

Total Number:



(1) Finite-size scaling for quantum criticality using the finite-element method

Finite size scaling for the Schrodinger equation is a systematic approach to calculate the quantum critical parameters for a given Hamiltonian. This approach has been shown to give very accurate results for critical parameters by using a systematic expansion with global basis-type functions. Recently, the finite-element method was shown to be a powerful numerical method for ab initio electronic-structure calculations with a variable real-space resolution. In this work, we demonstrate how to obtain quantum critical parameters by combining the finite-element method (FEM) with finite size scaling (FSS) using different ab initio approximations and exact formulations. The critical parameters could be atomic nuclear charges, internuclear distances, electron density, disorder, lattice structure, and external fields for stability of atomic, molecular systems and quantum phase transitions of extended systems. To illustrate the effectiveness of this approach we provide detailed calculations of applying FEM to approximate solutions for the two-electron atom with varying nuclear charge; these include Hartree-Fock, local density approximation, and an "exact" formulation using FEM. We then use the FSS approach to determine its critical nuclear charge for stability; here, the size of the system is related to the number of elements used in the calculations. Results prove to be in good agreement with previous Slater-basis set calculations and demonstrate that it is possible to combine finite size scaling with the finite-element method by using ab initio calculations to obtain quantum critical parameters. The combined approach provides a promising first-principles approach to describe quantum phase transitions for materials and extended systems.

(2)Quantum algorithm and circuit design solving the Poisson equation

The Poisson equation occurs in many areas of science and engineering. Here we focus on its numerical solution for an equation in d dimensions. In particular we present a quantum algorithm and a scalable quantum circuit design which approximates the solution of the Poisson equation on a grid with error ". We assume we are given a supersposition of function evaluations of the right hand side of the Poisson equation. The algorithm produces a quantum state encoding the solution. The number of quantum operations and the number of qubits used by the circuit is almost linear in d and polylog in "??1. We present quantum circuit modules together with performance guarantees which can be also used for other problems.

(3) Entanglement of polar symmetric top molecules as candidate qubits

Proposals for quantum computing using rotational states of polar molecules as qubits have previously considered only diatomic molecules. For these the Stark effect is second-order, so a sizable external electric field is required to produce the requisite dipole moments in the laboratory frame. Here we consider use of polar symmetric top molecules. These offer advantages resulting from a first-order Stark effect, which renders the effective dipole moments nearly independent of the field strength. That permits use of much lower external field strengths for addressing sites. Moreover, for a particular choice of qubits, the electric dipole interactions become isomorphous with NMR systems for which many techniques enhancing logic gate operations have been developed. Also inviting is the wider chemical scope, since many symmetric top organic molecules provide options for auxiliary storage qubits in spin and hyperfine structure or in internal rotation states

Technology Transfer